





THERMORY BY BOLEFLOOR

Bolefloor has been making waves in the world of interiors and has been catching the attention of both architects and end-consumers. Now it is time to move outdoors starting with the new decking module made from Thermory® wood.

"Thermory by Bolefloor" is inspired by the Bolefloor principle outdoors. A complex design and production process creates the curves by machining the boards piece by piece into the shape of six different forms. Each "Thermory by Bolefloor" **six-piece curved decking module** matches perfectly with the next module, creating an endless repeating pattern with a natural look.

"Thermory by Bolefloor" combines the dimensional stability, durability, rich dark tone and gorgeous grain of Thermory Ash with the curved design of Bolefloor. The result is truly beautiful and eye-catching.

The installation is easy to do with Thermory TENI[®] clips which create a beautiful decking surface with no visible screws and a 6 mm gap between boards.



The 6 mm gap between the boards and the 8 mm clip height guarantee good ventilation of the boards provided that the installation guide is properly followed.








INSTALLATION GUIDE

THERMORY BY BOLEFLOOR DECKING

"Thermory by Bolefloor" deck boards are 21 mm thick and 90–180 mm wide.

The fixed length of the boards is 2400 mm.

















3.




First row














5.









Excellence in Wood

Decking Cladding Flooring Sauna www.thermory.com info@thermory.com